PCT (ANNEX - FEE CALCULATION SHEET)
Original (for SUBMISSION) - printed on 10.10.2003 03:06:40 PM


(This sheet is not part of and does not count as a sheet of the international application)

0	For receiving Office use only			
0-1	International Application No.		•	
0-1				
0-2	Date stamp of the receiving Office			
0-4	Form - PCT/RO/101 (Annex)			
	PCT Fee Calculation Sheet Prepared using	l		
0-4-1	Prepared using			
	La U. Harris Stormer	1415		
0-9	Applicant's or agent's file reference	DESAI, Priyadarshi, Gautam, et al.		
2	Applicant	fee amount/multiplier	Total amounts (USD)	
12	Calculation of prescribed fees Transmittal fee T	ree amountmulupiles	240	
12-1	Transmittario	1	1,119	
12-2-1	Sealulies			
12-2-2	International search to be carried out by	RP /		
12-3	International fee			
	Basic fee			
	(first 30 sheets) b1	476		
12-4	Remaining sheets	0		
12-5	Additional amount (X)	12		
12-6	Total additional amount b2	0		
12-7	b1 + b2 = B	476		
12-8	Designation fees			
,	Number of designations contained	98		
12-9	in international application  Number of designation fees	5		
12-3	payable (maximum 5)		ļ	
12-10	Amount of designation fee (X)	1		
12-11	Total designation fees D			
12-12	PCT-EASY fee reduction R	-148		
12-13	Total International fee (B+D-R)	⇔	848	
12-17	TOTAL FEES PAYABLE (T+S+I+P)	⇒	2,207	
12-19	Mode of payment	authorization	to charge de	posit account
12-20	Deposit account instructions			
	The receiving Office:	United States Patent and Trademark		
	· .	Office (USPT)	(RO/US)	
12-20- 1	Authorization to charge the total fees indicated above.	<b>✓</b>		
12-20-	Authorization to charge any deficiency	✓		
2	or credit any overpayment in the total fees indicated above.			
12-20-	Authorization to charge the fee for	1		
3	priority document.	220281		
12-21	Deposit account No.	10 October 2	003 (10.10.200	3)
12-22	Date	10 October 2	VOJ (10.20.	<u> </u>

PCT (ANNEX - FEE CALCULATION SHEET)
Original (for SUBMISSION) - printed on 10.10.2003 03:06:40 PM

12-23	Name and signature	WILLIAMS, James
		John
		VALIDATION LOG AND REMARKS
13-2-7	Validation messages Contents	Green? Reference number for attached copy of general power of attorney not indicated.
13-2-9	Validation messages Payment	Green? Please ensure that you have a valid deposit account with the receiving

1415



## **PCT-EASY INFORMATION SHEET**

(For applicant use only, DO NOT submit this sheet with the international application)

## **VALIDATION LOG**

Green?	Contents Reference number for attached copy of general power of attorney not indicated.	
Green?	Payment Please ensure that you have a valid deposit account with the receiving Office selected.	

Before submitting the International Application, please carefully verify that:

- -the information contained on printed Request form is correct;
- -Box X of the Request form and item 12-23 of the Annex to the Request form have been signed;
- -all elements of the International application as Indicated In Boxes VIII and IX of the Request form have been attached; and,
- -the diskette containing the PCT-EASY zip file of the international Application has been enclosed and has been clearly labeled "PCT-EASY", with the applicant's or agent's file reference, and the first applicant's name.

## ATTENTION

DO NOT modify any indications on the Request form printout. The electronic version of the PCT-EASY application has been locked. If an error or an omission is discovered at this time, you must reopen the stored form for submission, perform necessary amendments and immediately resubmit the form. Finally, a NEW submission diskette must be created manually by resending the corrected stored form to the diskette. The previously created printout and submission diskette must be destroyed in order to prevent the possibility of erroneously sending it to the RO.

nozzle. The permeable composition is notably useful in a carriess, resin bonded, gas injuried, characterized by an impermeable, resin-bonded composition replaces the metal can. Advantageously, the resin-bonded compositions in the earn oxygen getter for scrubbing oxygen before the oxygen can reach the metal can. A method of manufacturing the nozzle is described and includes containing a standard, resin-bonded composition around the permeable, resin-bonded composition. The pressed piece may be cured at temperature below about 800oC.